







17.00 0+017 [r1]




50.00 0+050 [r1]




70.00 0+070 [r1]




13.00 0+013 [r1]




40.00 0+040 [r1]




```
64.98 0+064.98 [r1]
```




10.00 0+010 [r1]



30.00 0+030 [r1]




60.00 0+060 [r1]



20.00 0+020 [r1]

h	H	a	d	B	C	$\nabla(m/s)$
1.0	1.40	0.40	0.40	1.23	1.70	1.15
1.5	1.30	0.45	0.40	1.28	1.21	1.60
2.0	2.40	0.50	0.40	1.68	0.51	2.40
2.5	2.90	0.40	0.40	1.73	1.33	3.10
3.0	3.40	0.40	0.40	2.13	0.92	4.10
3.5	3.90	0.40	0.40	2.18	1.43	5.00
4.0	4.45	0.45	0.40	2.58	1.08	6.50
4.5	5.40	0.50	0.40	2.98	0.72	8.00
5.0	5.50	0.50	0.40	3.03	1.24	9.30
5.5	6.0	0.50	0.40	3.43	0.84	11.10
6.0	6.60	0.60	0.40	3.48	1.45	12.9
6.5	7.20	0.70	0.40	3.88	1.15	15.3
7.0	7.50	0.70	0.40	4.33	1.66	17.1
7.5	8.20	0.70	0.40	4.33	1.26	19.4
8.0	8.7	0.70	0.40	4.38	1.77	21.5

טבלת מדות לקיר

[illegible]